

Register of Authorised Pre-Treatment Grease and Silt Arrestors

Manufacturer's Name	Contact Name	Contact Details	Model Name	Model Number	Capacity (litres)	Installation	Material	Comments
ACO Polycrete	Steve Hughes	07 3292 4500 www.acoaus.com.au	EcoJet 1000L	142090	1000	AG	PE	
			EcoJet 1500L	142091	1500			
			EcoJet 2000L	142093	2000			
			Lipumax-PPE 1000L	142095	1000	BG	PE	
			Lipumax-PPE 1500L	142096	1500			
			Lipumax-PPE 2000L	142098	2000			
			Lipumax-G 3000L	142960	3000	BG	GRP	
			Lipumax-G 4000L	142961	4000			
			Lipumax-G 5000L	142962	5000			
Aquarius Precast (ICON)	Dave Turnbull	0458 088 855 sales@aquariusprecast.com.au	Grease Arrestor	GA1000	1000	AG/BG	GRC	2, 9
				GA2000	2000			
				ICON3000	3000		SRC	
				ICON4000	4000			
				ICON5000	5000			
				ICON 1000/06	1000			
				ICON 2000/06	2000			
Aus Pits	Ben Wharton	0408 173 953	Grease Interceptor	AP-GIT-1000	1000	BG	SRC	
				AP-GIT-1500	1500			
				AP-GIT-2000A	2000			
				AP-GIT-2000B	2000			
				AP-GIT-3000	3000			
				AP-GIT-5000	5000			
				AP-GIT-5000-1	5000			
Australian E.P.A. Services	Andrew Masrik	0411 195 808	Grease Silt Trap	1000-GST	1000	AG/BG	PVC	9
				1500-GST	1500		PVC	
				2000-GST	2000		PVC	
				3000-GST	3000		PVC	
				4000-GST	4000		CFG	
				5000-GST	5000		CFG	
Australian Tanks	Michael Spiller	0450 956 621	Grease Arrestor	ATQ-1kL	1000	BG	RCPA	9
				ATQ-2kL	2000			
				ATQ-2.5kL	2500			
				ATQ-3.8kL	3000			
				ATQ-2kL	3800			
				ATQ-4kL	4000			
				ATQ-4.6kL	4600			

Register of Authorised Pre-Treatment Grease and Silt Arrestors

Manufacturer's Name	Contact Name	Contact Details	Model Name	Model Number	Capacity (litres)	Installation	Material	Comments
				ATQ-5kL	5000			
				ATQC - 5kL	5000			
				ATQS - 5kL	5000			
Barith Australia Fibreglass Arrestor Traps	Barry Cawthorne	(07)5539 1490 braithaustralia@optusnet.com.au	Grease Arrestor	1000L	1000	AG/BG	F	9
				1500L	1500			
				2000L	2000			
				3000L	3000			
				4000L	4000			
				5000L	5000			
BCP Precast	Trevor Gorry	(07) 3807 4511 trevorg@bcp.com.au	Grease Arrestor	GAPQ -1000	1000	AG/BG	SRC	9
				GAPQ - 1500	1500			
				GAPQ - 2000	2000			
				GAPQ - 3000	3000			
				GAPQ - 4000	4000			
				GAPQ - 5000	5000			
Big Dipper Australia Pty Ltd	Mark Griffith	(03) 9399 8446	Big Dipper	W150 IS		AG	SS	4
				W200 IS				
				W250 IS				
				W350 IS				
				W500 IS				
Bio-Bizz Pty Ltd	Patrick Hetherman	(07) 32899802	Scavenger 2	BBSV2	50	AG	SS	3 & 4
Corrosion Protection Services Pty Ltd	Kel Atkins	0407 940 409	CPS Grease Trap Liner System	CPS EV1000	1000	AG/BG	P	5 & 9
				CPS EV2000	2000			
CV Plastics Pty Ltd	Paul Chuter	0410 668 909	Grease Interceptor	1000GT	1000	AG/BG	PVC/PP	9
				1100GT	1100			
				1500GT	1500			
				2000GT	2000			
				3000GT	3000			
				4000GT	4000			
				5000GT	5000			
Eclipse Environmental Australia	Richard Laferla	1300 272 650 info@eclipseaustralia.com.au	Grease Arrestor	GA1000	1000	AG/BG	F	9
				GA2000	2000			
				GA2500	2500			
				GA3000	3000			
				GA4000	4000			
				GA5000	5000			

Register of Authorised Pre-Treatment Grease and Silt Arrestors

Manufacturer's Name	Contact Name	Contact Details	Model Name	Model Number	Capacity (litres)	Installation	Material	Comments	
Eco Guardian Pty Ltd	Paul Moyner Aaron Moyner	1300 556 628 03 9534 3288 info@ecoguardians.com.au	Grease Guardian	D1	29	AG	SS	4	
				D2	50				
				D3	66				
				D4	85				
				D5	136				
				GGX7	30				
				GGX15	50				
				GGX25	70				
				GGX35	95				
Eloy Water Australia Pty Ltd	Loic Printant	0499 017 006	Greastop	C-90	4500	BG	HPFC		
Everhard Industries Pty Ltd	Hayden Quayle	(07) 3637 6444 info@everhard.com.au	Grease Arrestor/Silt Arrestor	Series 90	1000	AG/BG	SRC	9	
				Series 90	2000				
			VC Grease Arrestor	VC1000	1000				PE
				VC2000	2000				
				VC3000	3000				
				VC4000	4000				
				VC5000	5000				
			Polymer Grease Trap	1000	1000				
				2000	2000				
				3000	3000				
				4000	4000				
				5000	5000				
Everything Water	Mike Richards	(07) 3821 6922	VGS Grease	V20SG	2000	AG	SS	7, 9	
Graf Australia P/L	Ronnie Ryan	1300 131 971 r.ryan@grafaustalia.com.au 0421 351 892	Grease Arrestor	SC	2000	BG	PE	9	
				SC	3000				
				SC	4000				
				SC	5000				
				Klsepa.pop 2-1200	1200				
				Klsepa.pop 4-1200	1200				
				KLsepa.pop NS4-950	1500				
				Klsepa.pop 4-2200	2200				
				Klsepa.pop 7-2200	2200				
				Klsepa.pop 10-3350	3350				
				Klsepa.pop 15-3350	3350				
				GB	1000	AG			
				GB	1500				

Register of Authorised Pre-Treatment Grease and Silt Arrestors

Manufacturer's Name	Contact Name	Contact Details	Model Name	Model Number	Capacity (litres)	Installation	Material	Comments
ACO Halgan Pty Ltd	Joel Brooks	0488 123 305 1800 626 753 www.halgan.com.au	Modular Grease Trap	MGT 1000 / (s)	1000	AG/BG	PE	1,9
				MGT 1500 / (s)	1500	AG/BG	PE	
				MGT 2000 / (s)	2000	AG/BG	PE	
				MGT 2000.2	2000	AG/BG	PE	
				MGT 3000 (s)	3000	AG/BG	PE	
				MGT 3000.2	3000	AG/BG	PE	
				MGT 4000 (s)	4000	AG/BG	PE	
				MGT 4000.2	4000	AG/BG	PE	
				MGT 5000 (s)	5000	AG/BG	PE	
				MGT 5000.2	5000	AG/BG	PE	
			MGTA Single Tank	MGTA	1000	AG	PE	
				MGTA	1500	AG	PE	
				MGTA	2000	AG	PE	
				MGTA	3000	AG	PE	
				MGTA	4000	AG	PE	
				MGTA	5000	AG	PE	
			Kessel Euro Grease Separator	G-NS2	1000	AG/BG	PE	
Mascot Engineering	Bruce Gilbert	1300 885 295 sales@mascoteng.com.au	Grease Arrestor	QGA100	1000	AG/BG	GRC	9
				QGA150	1500	AG/BG	GRC	
				QGA200	2000	AG/BG	GRC	
				QGA250	2500	AG/BG	GRC	
				QGA300	3000	AG/BG	GRC	
Pioneer Plastics	Shane Mitchell	03 9775 0203	Grease Arrestor	PIP AG/BG1	1000	AG/BG	PP	9
					1100			
					1500			
					2000			
					2500			
					3000			
					3500			
					4000			
					4500			
					5000			
Port Capital	Kevin Venville	0412 715 740	Grease Arrestor	PCGT	1000	BG	PE	9
					1500			
					2000			
					3000			

Register of Authorised Pre-Treatment Grease and Silt Arrestors

Manufacturer's Name	Contact Name	Contact Details	Model Name	Model Number	Capacity (litres)	Installation	Material	Comments	
					4000				
					5000				
Stainless Metal Craft (Aust) Pty Ltd	David Patterson	(02) 4735 5666	Grease Arrestor	GT-2-FB-QLD	2000	AG	SS		
Suncoast Wastewater Management	Darren Chen	(07) 5453 4466	Ozzi Kleen Grease Arrestor	GT1000	1000	AG/BG	PE	9	
			Grease Trap with Taylex Filter	2000 Litre	2000		SRC		
				4000 Litre	4000				
Tellam Concrete Products	Will Dewar	(07) 5493 3044	Great Silt Interceptor	1000 Litre	1000	AG/BG	SRC	9	
				2000 Litre	2000				
Viking Plastics Engineering	David Brumby	(03) 9587 2297 info@vikingplastics.com.au	Grease Interceptor	QP9AG/BG-1000	1000	AG/BG	PE/PP	6,9	
				QP9AG/BG-1500	1500				
				QP9AG/BG-2000	2000				
				QP9AG/BG-3000	3000				
				QP9AG/BG-4000	4000				
				QP9AG/BG-5000	5000				
				QPT9AG-1000	1000	AG	Paneltim		
				QPT9AG-1500	1500				
				QPT9AG-2000	2000				
				QPT9AG-3000	3000				
				QPT9AG-4000	4000				
				QPT9AG/BG-5000	5000				AG/BG
				QPT9BG-1000	1000	BG	Paneltim		
				QPT9BG-1500	1500				
				QPT9BG-2000	2000				
				QPT9BG-3000	3000				
				QPT9BG-4000	4000				
				QPT9BG-5000	5000				
				Grease Raider	G5	0.5 L/s	AG		SS
			G15						
			G25 and G25 Combi						
			Vital Resource Management	Ken Bellamy	(07) 4751 6073	VRM Grease Trap	VRM 1000		1000
VRM 2000	2000								

Register of Authorised Pre-Treatment Grease and Silt Arrestors

Key

AG	Above Ground	HDPE	High Density Polyethylene
BG	Below Ground	MDPE	Medium Density Polyethylene
SRC	Steel Reinforced Concrete	PE	Polyethylene
GRC	Glass Reinforced Concrete	PP	Polypropylene
SS	Stainless Steel	L	Litres
PU	Polyurethane	hr	Hour
F	Fibreglass	PVC	Polyvinyl Chloride
GRN	Glass Fibre Reinforced Nylon	S	Steel

Comments

1. Treats batches up to 500 litres in volumes.
2. For use with Busta pre-treatment systems.
3. Recommended installation with the automatic dosing system into drainage.
4. Access covers must be set in concrete surrounds. Internal surface may be coated with Megapoxy H. Baffles constructed of HDPE/PP. Trays constructed of SS.
5. Internal surface may be coated with Megapoxy H. Baffles constructed of HDPE/PP. Trays constructed of SS.
6. Access covers must be set in concrete surrounds. Internal surface may be coated with Megapoxy H. Baffles constructed with HDPE/PP. DML Lime 'Acid Pit Stone' neutralising media.
7. Internal surface may be coated with Megapoxy H. Baffles constructed of HDPE/PP. DML Lime 'Acid Pit Stone' neutralising media.
8. Infrastructure designed for use in science, medical and dental laboratories/premises as an under-sink pre-treatment unit.
9. The pH correction component of the infrastructure (hydrochloric acid dosing) is not compulsory in Unitywater's service provided area.
10. The pre-treatment infrastructure is authorised for use as an adjunct pre-treatment unit to an existing grease/silt – water separator and must be located up-sewer from this separator.
11. The use of neutralising media is not compulsory. If a neutralising media is used, the trap must be sized to accommodate one hour's maximum flow as retention capacity in addition to the neutralising media's volume.
12. The pre-treatment infrastructure is authorised for use as an adjunct pre-treatment aid to an existing grease/silt – water separator. The use of this produce does not negate the grease/silt trap sizing requirement of one hour's maximum flow as retention capacity